

**NS6130-12-001696**

# POLYCRYSTALLINE DIAMOND SUSPENSION Glycol Based

## Quick Facts

Product	:	Polycrystalline Diamond Suspension, Glycol Based
Stock No	:	NS6130-12-001696
CAS	:	1344-28-1
Molecular Formula	:	C

**Purity**  
99.9%

## Technical Specification

Molecular Weight	APS
12g/mol	0.1µm

Polycrystalline diamond suspension is a type of abrasive fluid used for polishing and grinding hard materials, such as ceramics, metals, and semiconductors. Polycrystalline diamond suspension is typically used in a variety of industries, including electronics, optics, and automotive manufacturing. It is commonly applied using a rotating polishing wheel or by hand using a cloth or pad.

**C**

APS 0.1µm



Speciality  
CHEMICALS



Follow us:



www.nanoshel.com | sales@nanoshel.com



20ZICE4589C



19ZAZGO1274G



20ZICE4588M

ISO 9001:2015  
CERTIFIED COMPANY

**INTELLIGENT MATERIALS PVT LTD**  
Derabassi  
Punjab (140507)  
INDIA

+91 9779 550077, 9779238252

**NANOSHEL UK LIMITED**  
Chapel House,  
Chapel St Cheshire,  
CW12 4AB United Kingdom

+44 (0) 74 105 488, +44 203 137 5187

**NANOSHEL LLC**  
3422 Old Capitol Suit  
1305 Wilmington DE - 19808  
United States

+1 646 470 4911