


TUNGSTEN TRIOXIDE NANOPOWDER

















TUNGSTEN TRIOXIDE NANOPOWDER

In everyday life, Tungsten (VI) oxide (WO3) nanoparticles (NPs) are utilized for many industrial purposes. Tungsten (VI) oxide (or tungsten trioxide: WO3) is a chemical compound and also consists of oxygen and the transition metal tungsten. For the production of tungsten oxides, these Tungsten ores are treated with alkalis. WO3 occurs naturally in the form of hydrates for instance tungstite (WO3.H2O) and meymacite (WO3.2H2O). It is frequently employed in the industry to manufacture tungstates for x-ray screen phosphors, for fireproofing fabrics and also in the production of electro chromic windows. Moreover, it is used in gas sensors. It is also used as a pigment in ceramics and paints due to it is available in yellow color. It has second-highest melting temperature among any element because of this Tungsten is also used in many military applications.

WO3 films are used in electro chromic devices, photocatalysis. In addition, the production of tungsten powder from high purity WO3 through hydrogen reduction is still the most important application in the field of powder metallurgy. WO3 exhibits enhanced properties in comparison to the conventional coarse-grained structures. The shape controlled tungsten trioxide semiconductors were synthesized by the means of hydrothermal synthesis. It is also utilized in smart windows and these windows are electrically switchable glass that changes light transmission properties with an applied voltage. In that way, users can easily enable to tint their windows, changing the amount of heat or light passing through.

Quick**facts**

Product	Iungsten	Irioxide I	Nanopowder	


Stock No NS6130-03-357

CAS 1314-35-8

Color Light Yellow

Form Powder

WO₃ Symbol



ADDITIONAL POWDER CHARACTERISTICS


Stock No.	Purity	APS
NS6130-03-357	99.9%	<60nm

TECHNICAL SPECIFICATION

Molecular Formula	Molecular Weight	Density	Melting Point
WO₃	231.84 g/mol	7.16 g/cm ³	1473 °C
CHEMICAL C	OMPOSITION		
Product	Weight Percent (no	ominal)	

WO₃

99.9%



Other Metal

1000ppm

APPLICATIONS

Tungsten Trioxide

Nanopowder

- Used in colorant and analysis reagent of chinaware
- Fire-proofing fabrics
- Large-area displays
- Ceramic pigments
- Used in sensors such as Humidity sensors, gas sensors, Temperature sensors
- Infrared switching devices
- High-density memory devices
- **Photocatalysts**
- Used in X-ray screen and fireproof textile
- Wastewater treatment
- Writing-reading-erasing optical devices
- Smart windows
- Solar energy conversion
- cutting tools







ISO 9001:2015

INTELLIGENT MATERIALS PVT LTD Punjab (140507) CERTIFIED COMPANY

NANOSHEL UK LIMITED Chapel House, Chapel St Cheshire, CW12 4AB United Kingdom

NANOSHELLLC 3422 Old Capitol Suit 1305 Wilmington DE - 19808 United States